Table 1.29 Age-Adjusted U.S. Death Rates and Trends for the Top 15 Cancer Sites by Race/Ethnicity Females

All Ra	ces		White			Black		
	Rate <sup>b</sup> 2006-2010	APC <sup>c</sup> 2001-2010		Rate <sup>b</sup> 2006-2010	APC <sup>c</sup> 2001-2010		Rate <sup>b</sup> 2006-2010	APC° 2001-2010
All Sites	149.7	-1.4*	All Sites	149.8	-1.3*	All Sites	171.2	-1.7*
Lung and Bronchus	39.2	-0.9*	Lung and Bronchus	40.4	-0.8*	Lung and Bronchus	37.2	-1.2*
Breast	22.6	-2.0*	Breast	22.1	-2.0*	Breast	30.8	-1.6*
Colon and Rectum	13.9	-3.0*	Colon and Rectum	13.4	-3.0*	Colon and Rectum	19.0	-3.3*
Pancreas	9.6	0.4*	Pancreas	9.4	0.6*	Pancreas	12.5	-0.1
Ovary	8.1	-1.8*	Ovary	8.4	-1.8*	Corpus and Uterus, NOS	7.4	0.7*
Leukemia	5.3	-1.3*	Leukemia	5.5	-1.2*	Ovary	6.7	-1.7*
Non-Hodgkin Lymphoma	5.1	-3.1*	Non-Hodgkin Lymphoma	5.3	-3.1*	Myeloma	5.4	-2.2*
Corpus and Uterus, NOS	4.3	0.5	Corpus and Uterus, NOS	4.0	0.4	Leukemia	4.8	-1.9*
Brain and ONS <sup>f</sup>	3.5	-0.5*	Brain and ONS <sup>f</sup>	3.8	-0.4	Stomach	4.7	-3.5*
Liver & IBD <sup>f</sup>	3.4	1.6*	Liver & IBD <sup>f</sup>	3.2	1.9*	Cervix Uteri	4.2	-2.4*
Myeloma	2.7	-2.3*	Kidney and Renal Pelvis	2.6	-1.2*	Liver & IBD <sup>f</sup>	4.1	0.8
Kidney and Renal Pelvis	2.6	-1.3*	Myeloma	2.5	-2.3*	Non-Hodgkin Lymphoma	3.6	-3.0*
Stomach	2.5	-2.7*	Urinary Bladder	2.2	-0.4	Urinary Bladder	2.6	-1.9*
Cervix Uteri	2.4	-1.5*	Stomach	2.2	-2.7*	Kidney and Renal Pelvis	2.6	-1.1*
Urinary Bladder	2.2	-0.6*	Cervix Uteri	2.2	-1.3*	Esophagus	2.1	-5.2*

Asian/Pacific Islander			American Indian/Alaska Native <sup>d</sup>			Hispanic <sup>e</sup>		
	Rate <sup>b</sup> 2006-2010	APC <sup>c</sup> 2001-2010		Rate <sup>b</sup> 2006-2010	APC <sup>c</sup> 2001-2010		Rate <sup>b</sup> 2006-2010	APC° 2001-2010
All Sites	92.1	-1.0*	All Sites	139.0	-1.1*	All Sites	101.2	-1.2*
Lung and Bronchus	18.4	-0.5	Lung and Bronchus	33.1	-0.8	Breast	14.8	-1.5*
Breast	11.5	-1.7*	Breast	15.5	-1.1	Lung and Bronchus	14.1	-1.1*
Colon and Rectum	9.7	-1.6*	Colon and Rectum	15.4	0.4	Colon and Rectum	10.2	-2.1*
Pancreas	7.1	0.5	Pancreas	8.6	0.5	Pancreas	7.7	0.1
Liver & IBD <sup>f</sup>	6.0	-1.5	Ovary	7.1	-2.3	Ovary	5.8	-1.2*
Stomach	5.1	-3.7*	Liver & IBD <sup>f</sup>	6.1	-1.1	Liver & IBD <sup>f</sup>	5.4	0.9*
Ovary	4.8	-0.6	Kidney and Renal Pelvis	4.4	-0.7	Non-Hodgkin Lymphoma	4.4	-1.5*
Non-Hodgkin Lymphoma	3.4	-2.0*	Non-Hodgkin Lymphoma	4.3	-3.8	Stomach	4.4	-2.6*
Leukemia	3.1	0.7	Stomach	3.8	-6.0*	Leukemia	4.0	-0.6
Corpus and Uterus, NOS	2.6	2.3*	Cervix Uteri	3.5	-0.4	Corpus and Uterus, NOS	3.3	0.6
Cervix Uteri	1.9	-4.6*	Leukemia	3.3	-3.4	Cervix Uteri	2.9	-2.3*
Brain and ONS <sup>f</sup>	1.6	1.6	Corpus and Uterus, NOS	3.2	-	Brain and ONS <sup>f</sup>	2.4	-0.4
Myeloma	1.3	-2.5	Myeloma	2.4	-6.2	Myeloma	2.3	-2.3*
Kidney and Renal Pelvis	1.2	-0.3	Brain and ONS <sup>f</sup>	2.3	_	Kidney and Renal Pelvis	2.3	-0.4
Oral Cavity and Pharynx	1.2	-2.4	Gallbladder	2.0	-4.6	Gallbladder	1.3	-1.6

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

- <sup>a</sup> Top 15 cancer sites selected based on 2006-2010 age-adjusted rates for the race/ethnic group.
- Pates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups Census P25-1130).
- The APC is the Annual Percent Change over the time interval.
- Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups Census P25-1130).
- d Rates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.
- Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.
  The 2006-2010 Hispanic death rates do not include deaths from the District of Columbia, North Dakota and South Carolina.
  The 2001-2010 Hispanic mortality trends do not include deaths from the District of Columbia, Minnesota, New Hampshire,
  North Dakota and South Carolina.
- IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.
- The APC is significantly different from zero (p<.05).
- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.